



RoHS

CUST INFORMATION.


PART NO.	DRAWING NO.	REV.
NA	NA	NA




1	2	3
4	5	6




2*3P




1	2	3
4	5	6
7	8	9




3*3P




1	2	3	4
5	6	7	8
9	10	11	12



3*4P



1	2	3	4	5
6	7	8	9	10
11	12	13	14	15




3*5P

A		For New Drawing	GuobaoLi	2017.12.27
REV.	ECN NO	REVISION RECORD	DRAW	DATE

TOLERANCE

X.	X.XXX ±0.10
X.X±0.30	
X.XX±0.20	Angular ±2°



UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

FU4501H-XxXP-X-HF

DRAWING NO.

C-FU4501H-XxXP-X-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE
2 OF 2

SCALE
1: 1

REV.

A

东莞市福朗连接器制造有限公司
DONGGUAN FULANG CONNECTOR MANUFACTURING Co., LTD



TITLE. 4.5mm PITCH WIRE TO
WIRE HOUSING

6 QMI-P12-05-05



RoHS

CUST INFORMATION.

PART NO.	DRAWING NO.	REV.
NA	NA	NA



1*2P





1*3P

Specifications:



- 1.Current rating:10A AC,DC
- 2.Voltage rating:300V AC,DC
- 3.Temperature range:-40°C~+105°C
- 4.Contact resistance:10mΩMax.
- 5.Insulation resistance:1000MΩMin.
- 6.Withstanding voltage:1500V AC/minute
- 7.Material:PA66 UL94V-0
- 8.Bill Of Part No.:

FU4502H-XxXP-X-HF

Pin:	Material Color
1x2	A : White
1x3	B : Black
1x4	C : Red
.	D : Orangr
.	E : Yellow
.	F : Green




1*4P



2*2P

TOLERANCE

X.	X.XXX ±0.10
X.X±0.30	
X.XX±0.20	Angular ±2°



UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

FU1302H-XxXP-X-HF

DRAWING NO.

C-FU1302H-XxXP-X-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE 1 OF 2

REV.

SCALE 1: 1

东莞市福朗连接器制造有限公司

DONGGUAN FULANG CONNECTOR MANUFACTURING Co., LTD

TITLE. 4.5mm PITCH WIRE TO
WIRE HOUSING



A		For New Drawing	GuobaoLi	2017.12.27
REV.	ECN NO	REVISION RECORD	DRAW	DATE

6 QMI-P12-05-05



RoHS

CUST INFORMATION.



PART NO.	DRAWING NO.	REV.
NA	NA	NA





2*3P



3*3P



3*4P



3*5P

A		For New Drawing	GuobaoLi	2017.12.27
REV.	ECN NO	REVISION RECORD	DRAW	DATE

TOLERANCE		PART NO.	东莞市福朗连接器制造有限公司 DONGGUAN FULANG CONNECTOR MANUFACTURING Co., LTD	
X.	X.XXX ±0.10	FU1302H-XxXP-X-HF		
X.X ±0.30		DRAWING NO.	TITLE. 4.5mm PITCH WIRE TO WIRE HOUSING	
X.XX ±0.20	Angular ±2°	C-FU1302H-XxXP-X-HF		
		APPROVED BY	CHECKED BY	DRAWN BY
DWG TYPE.				PAGE
Customer Drawing				2 OF 2
				SCALE
				1: 1
				REV.
				A